



 Barlinek  
WOODEN FLOORS

 宝林纳  
三层实木复合地板专家

**BARLINEK  
WOOD FLOORING  
CREATES YOUR INTERIOR**

宝林纳  
三层实木地板  
室内装饰专家

[BARLINEK.COM](http://BARLINEK.COM)  
[BARLINEK.CN](http://BARLINEK.CN)

## GREAT NATURE

250 million people in 75 countries around the world,  
walk on our floors.

Care for the environment and pro-ecological attitude  
are the most important values of Barlinek.

We plant 1 tree for each purchased pack of the floor.  
Barlinek customers' forest already has more than 15 million trees.

We use ecological and environmentally friendly technologies,  
we produce green energy.

# 纯臻天然

宝林纳地板销往全球75个国家和地区

全世界共有2.5亿人在使用宝林纳地板

环保生态是宝林纳公司贯彻始终的价值观

“每卖出一包带有亲生态标志的地板就在经济速生林种植一棵树”

目前已在1500万棵树扎根在宝林纳的经济速生林

环保生态技术创造绿色健康产品



# A LONG TIME AGO

## 企业文化—在很久以前



**Marek Konstańczak**  
R&D Development Section Manager  
designer of Barlinek joints for over 40 years

40年地板锁扣设计经验

### History

The wood industry evolved in Barlinek already in the 19th century. Until the end of the World War II a sawmill, a carpentry shop and a furniture manufacture operated. There were also other sawmills that after the War merged into one company: the Wood Company of the National Forest Holding „The State Forest” in Barlinek. At the beginning the sawmills processed coniferous and deciduous timber. Wood processing capacity reached around 100 m<sup>3</sup> per day.

At the time, the carpentry shop produced furniture for schools and institutions, as well as anti-snow fences and land cirs. From 1947 production increased and expanded by the following articles: chairs, carpentry and wooden haberdashery.

From the 1st of January 1959 the company took the name of the Factory of the Wood Industry in Barlinek.

### 发展历程

19世纪初，木业在宝林纳地区崛起；二战期间，小型锯木厂，木匠商铺和家具制造厂开始运营；二战后期，多个锯木厂开始合并，最终在宝林纳地区成立了“国家森林控股的木材公司”。最开始，这些锯木厂以针叶木材加工为主，每日木材生产量在100立方米左右。

当时，木匠商铺及家具制造厂主要为附近学校和相关机构生产木制家具及栅栏等。自1947年起，生产能力大幅提高，经营范围拓宽，开始生产椅凳，木器及木制缝纫架。1959年1月1日，公司更名为：宝林纳木业工厂。

On the 1st of June 1999 the voivode of the West Pomeranian voivodeship decided that the state company Factory of the Wood Industry in Barlinek should be privatised.

Thanks to a considerable financial support, consistent policy of modernisation and expansion, increase in production of Barlinek flooring could be observed. Soon it became the synonym of an engineered flooring in Poland and other countries in the world.

5



OVER  
**12 MILLION M<sup>2</sup>**  
年生产量超1200万平方米



*We produce 12 million m<sup>2</sup> of  
Barlinek flooring per year*

年生产量超1200万平方米

#### The Barlinek Group

The Barlinek Group is one of the world's leading manufacturers of an engineered flooring, with production capacity of 12 million m<sup>2</sup> per annum.

As well as the Barlinek flooring, the group also produces certified flooring for sporting facilities, skirting boards and wood biofuels known for their high quality – wood pellet and fireplace briquette.

Barlinek attaches great importance to the technology applied and the company's finished products being ecological and environmentally neutral.

#### 宝林纳集团

宝林纳集团是全球生产三层实木复合地板的领导者之一，年生产量超过1200万平方米。

除了宝林纳三层实木复合地板，宝林纳集团还为运动机构生产运动型地板，踢脚线以及高质量的生物燃料，如用于壁炉取暖的木质颗粒等。宝林纳十分注重高新技术的应用，关注产品的生态环保性能。

Constant modernisation of the plant and investments in modern technology have made this one of the cleanest company's in this industry in Poland.

Barlinek activities show that for companies environmental protection can be more than just a legal requirement in certain countries - it can be a major element in a long-term development strategy.

现代创新技术的持续引进使得宝林纳工厂成为波兰最为生态清洁的公司之一。宝林纳的亲身实践告诉我们：对于企业来说，环保不仅仅是法律上的要求，还是企业取得长远发展的重要决定性因素。

100% REAL  
WOOD

100%由实木制作而成



We make the Barlinek flooring and skirting boards from the purest part of the log. Sawdust formed during production is used to make pellets and biomass.

宝林纳三层实木复合地板以及配套的踢脚线都是由天然原木制作而成；制作过程中产生的木屑经过处理制成了生物燃料。



**Barlinek is:**

the only production facility in Europe with the whole production process concentrated in one site. This guarantees full quality control at every stage of production, as well as the most economical consumption of such a valuable raw material as real wood. Barlinek tries to make 100% use of it.

**Genuine wood is:**

non-allergenic  
permanent and durable  
warm to the touch  
convenient to use  
regulates the micro-climate  
unique

**The Barlinek flooring is:**

100% real wood\*  
a stable structure resistant to changes in temperature and moisture\*  
possible to lay over underfloor heating\*  
fast and independently installed\*  
possible to renovate many times\*  
top quality at a good price\*

宝林纳是：

是欧洲唯一一家在一个工厂完成产品生产全程的企业；  
确保生产各个环节的质量管控；  
最大程度地有效利用天然原木材料；  
宝林纳力求100%利用天然原木材料。

天然原木：

无过敏物质  
持久耐用  
触感温润  
使用便捷  
调节室内小气候  
独一无二

宝林纳地板：

100%实木制成  
结构稳定（有效抵抗温度和湿度的变化）  
支持地热铺装  
安装快速便捷  
支持多次翻新  
品质优良，价格实惠



Barlinek Institute Design is a platform where designers, architects and design enthusiasts collaborate. The Institute's activities aim at a creative use of wood

宝林纳设计协会

为设计师，建筑师以及设计爱好者们提供合作平台，旨在探索木材的创新使用技术



OVER  
15 MILLION  
TREES

1500多棵数扎根宝  
林纳经济速生林

We protect  
„Bartek“ the Oak

We also allocate funds to carry  
out the necessary renovation  
work to save the ancient Bartek  
Oak - Poland's most famous  
monument to nature.

#### The 1=1 Programme

For every pack of Barlinek  
flooring sold, we plant 1 tree.  
Barlinek's Customers Forest  
is growing in Poland, Russia,  
Romania and Ukraine  
and today includes more  
than 15 500 000 trees!

一对一计划  
每卖出一包实木地板，便在宝  
林纳经济速生林里种植一棵  
树。宝林纳的经济速生林主要  
分布在波兰，俄罗斯，罗马尼  
亚以及乌克兰地区，目前共有  
1550多万棵树扎根于此。



#### The company's green policy

Environmental concern and a pro-  
ecological attitude are paramount  
values of the brand. It is in nature  
that we find our inspiration, where  
we obtain the raw materials for  
manufacturing and it is out of  
concern for it that we conduct  
a varied programme  
of ecological activities.

宝林纳公司的绿色政策  
关注环境，竖立亲生态观念是一个  
品牌首要的价值。  
我们从自然界中获取生产原料，  
从自然中获得创作灵感。出于对  
环境的关注，宝林纳集团积极开  
展各种环保的活动。

#### Responsibility

The raw materials used in  
production are derived  
exclusively from sustainable  
forestry areas, which is confirmed  
by the prestigious Forest  
Stewardship Council® (FSC)  
Certificate.



Search FSC certified  
products in our offer.

宝林纳地板都带有森  
林管理委员会认证标  
志





100% real wood  
100%实木制成



durable  
持久耐用



## BARLINEK WOOD FLOORING ADVANTAGES

宝林纳实木地板的优势

warm in touch  
触感温润



Barlinek wood board - 20 years of warranty  
宝林纳实木地板—20年保修



100% wood  
100%全实木材



Stable construction  
结构稳定



Underfloor heating  
地板采暖

Flooring is made of 100%  
real wood of the highest quality.

We use 100% of this precious  
material. The sawdust remaining  
after production is used to make  
heating pellets and fireplace  
briquette. The bark is used in our  
gardens.

The thickness of each layer of the  
Barlinek flooring is not accidental.  
It is the result of many years  
of experience, hundreds  
of hours of research and tests  
of the natural wood properties.  
Our expert knowledge has enabled  
us to develop a floor with an ideal  
construction to reduce the natural  
tensions of the material.

100%实木制  
宝林纳地板100%由高品质的  
实木材料制成；100%充分利  
用珍贵的原木材料——锯木屑制  
成生物燃料或生物肥料。

结构稳定  
地板各层木料的厚度都是研究  
室对木材特性经过多年、数  
千个小时的严格试验得出的结  
果。专业的技能使我们能研发出  
理想的地板结构，能有效限制天  
然原木的自然伸缩运动。

Not every wooden floor is suitable  
for underfloor heating.  
Thanks to its layered structure,  
the Barlinek flooring perfectly  
conducts heat and can be  
successfully applied  
on both electric and water  
underfloor heating.

支持地暖铺设  
不是所有的实木地板都适用于  
地热环境。多层的地板结  
构使得宝林纳地板具备良好的  
导热性能，不仅适用于电  
力加热系统还适合水暖地热  
的铺设。

# FLOORING CONSTRUCTION

## 地板结构

15



*Resistant to humidity changes*

有效抵抗湿度的变化

### Tame the forces of nature

The cross construction of the Barlinek flooring is resistant to the changes in the air humidity.

There is no need to worry about your floor even in rainy days, when the air becomes very humid, or during the winter - when the air is dried by heating.

### 克服自然力

宝林纳地板的交叉结构能有效应对空气湿度的变化，因此，即使在阴雨连绵空气湿度过高，或是在寒冬，空气被加热干燥的时候，您也无需担心自己的地板。

External factors - temperature and moisture may affect the appearance of real wood.

Therefore, our floor is carefully protected with a lacquer or oil finish. Also, the cross construction of the flooring protects it against squeaking, swelling and drying out.\*

外部因素- 温度和湿度的变化会对实木地板的外观产生一定影响。为了在一定程度上缩小外部因素对地板的影响，宝林纳地板的表面大都采用清漆和天然油涂层。除此之外，交叉结构的地板能在一定程度上避免地板产生吱吱声，发生膨胀或干硬的现象。

### Wood protection system

up to 7 layers of UV-hardened acrylic lacquer or a system of UV/natural oil.

### 木地板防护系统

7层UV固化清漆或者3层UV/天然油面结构

Surface layer

Selected European or exotic wood of the appropriate thickness, protected with a lacquer or oil finish.

表层

精选厚度适当的欧洲或外来实木原料，制成漆面或油面的木板。

Middle layer

Coniferous layer arranged laterally to the surface and a bottom layer. Such construction limits the natural movement of the wood and prevents gaps, cracks and squeaking - even in constantly changing weather conditions.

中层

选取针叶木材（松木）做木料，按照与表板和底板相反的纵向顺序排列。交叉结构的排列限制了实木的自然伸缩运动，即使是在变化无常的气候条件下，也能有效防止地板生成间隙，裂缝，发出吱吱声。

Bottom layer

Coniferous wood arranged laterally to the middle layer reduces the natural work of wood.

底层

针叶木材（松木）横向排列在中层木板之下，减小实木的自然伸缩运动。

**Quick joint 5Gc**

**Quick joints guarantee:**

- Faster and easier installation also in places difficult to access
- Simple installation of angularly cut flooring
- No additional tools needed
- Floor instantly ready for use
- Suitable for underfloor heating
- Suitable for glue down or floating installation
- Easy to dismantle and reinstall if needed

**joint Barclick®**

- Fast and easy with the use of an assembly kit
- High durability of the joint

\* For detailed information on the installation and use of the Barlinek flooring, please refer to the installation manual and your warranty card.  
\*\* 有关宝林纳地板安装和使用的详细信息，请参阅安装手册和保修卡。

### 5Gc 快捷锁扣系统

- 安装方便快捷
- 边角切割平整，安装简单
- 安装时无需借助辅助工具


### 便捷接头

- 保证地板可随时进行安装操作
- 施胶安装或悬浮铺装
- 易于拆卸和重装

### 宝林纳研发的锁扣

- 借助安装工具可迅速实施安装操作
- 接口持久耐用

# HERRINGBONE CONSTRUCTION 人字拼结构



## Wood protection system

up to 7 layers of UV-hardened acrylic lacquer  
or a system of UV/natural oil.

## 木地板防护系统

7层UV固化清漆或者3层UV/天然油面结构

### 表层

Selected European or exotic wood of the appropriate thickness, protected with a lacquer or oil finish.

### 中层

精选厚度适当的欧洲或外来实木原料，制成漆面或油面的地板。

### 中层

Coniferous layer arranged laterally to the surface and a bottom layer. Such construction limits the natural movement of the wood and prevents gaps, cracks and squeaking - even in constantly changing weather conditions.

### 底层

针叶木材（松木）横向排列在中层木板之下，减小实木的自然伸缩运动。

\*For detailed information on the installation and use of the Barlinek flooring, please refer to the installation manual and your warranty card.  
\*有关宝林纳地板安装和使用的详细信息，请参阅安装手册和保修卡。

### CROSSLOCK Joint

Crosslock is the latest joint designed by Barlinek, which facilitates the arranging of the Classic Fir Floor Pattern in a clean, quick and easy manner. Its profile allows the installing of the above-mentioned pattern without the need for both the right- and left-side woodblocks at the same time.\*

### 十字锁扣

十字锁扣是宝林纳最新研发的拼接锁扣系统，主要应用于人字拼（可施胶安装；方便快捷，整洁）。人字拼十字锁扣的剖面处理使得安装板材不分左右板（公母板）。

### Crosslock joints guarantee:

- a clean, quick, and easy assembly without using specialist tools
- an arrangement system which does not require using both right and left woodblocks
  - no risk of damaging the joint during assembly

十字锁扣确保：  
安装快速便捷，整洁，无需  
借助安装工具  
人字拼地板不分左右  
安装时接头无损坏风险

NEW! 新品！

# FLOOR FINISHING

## 地板表层处理



Natural oil

*Natural oil penetrates the pores of the wood, impregnating it against moisture and bringing out the natural features of the wood.*

天然植物油面

天然植物油能渗透到木材的纤维毛孔中，形成抵御潮湿的油面防护层，呈现实木的天然纹理。



UV oil

*UV oil forms a protective oil coating on the surface of the wood and increases the floor's resistance to dirt.*

UV固化油面

UV固化油面在地板表层形成防护涂层，提高地板的耐脏性能。




Lacquered floors

*Multi-layered coating with a UV-hardened lacquer system protects the floor by forming a surface safeguarding it against abrasion, dirt and micro-scratches.*

漆面地板

多层UV固化漆面涂层在地板表面形成防护层，防磨损，耐脏和防微刮痕。



### The Best in Test!

Barlinek flooring is victorious in an independent quality test of wooden floors conducted by the Technical Research Institute of Sweden. Our floor turned out to be more abrasion- and stain-resistant than floors from the other leading European producers!

最佳产品

在瑞典自主举行的地板品质专业耐磨测试中，宝林纳漆面实木地板在抗食物污染和防滑的测试中击败了其他欧洲驰名品牌，最终夺冠。

### Super-resistant Professional Lacquer

Super-resistant Professional Lacquer works excellently even in heavily used rooms. Winner of a Swedish abrasion resistance test. The results of the test also confirm that this is the lacquer most resistant to food stains, including coffee and red wine.

高耐磨专业漆面地板

即使是在使用频率很高的房间中，超耐磨的专业漆面地板依然表现出色。瑞典耐磨测试的胜利者，也就意味着宝林纳地板是最耐食物污染（如，咖啡渍，酒渍等）的地板。



The natural oil structure.

*The process of oil absorption by the structure. The oil hardens in contact with oxygen.*

天然油面结构

多次在地板表层涂刷天然植物油，将地板静置，让植物油与氧气发生反应形成油面表层。



The UV-oil structure.

*The UV-oil structure hardens on impact with ultraviolet light.*

UV固化油面结构

紫外线灯光固化的UV油面结构。



Semi-matt lacquer

*Intensifies the impression of cosiness and warmth.*

半哑光漆面

强化地板的舒适感和温暖感



High gloss lacquer

*An excellent solution for impressive elegant interiors.*

高亮漆面

提高室内的整体的亮度，更显明亮优雅

\*The value stated represents the lacquer's resistance to abrasion. Tests according to standard EN 13696:2009 "Test methods to determine elasticity and resistance to wear and impact resistance." Taber falling sand 12/16 test method/ 所述数值代表漆面地板的耐磨指数。测试是严格按照EN 13696: 2009的标准“测试弹性、耐磨性和抗冲击性测试”来进行操作。

"TABER 12/16落砂试验"。



Bevelling

*Bevelling involves slightly trimming a small part of the flooring's edge to highlight the individual boards to make the room look bigger.*



Brushing

*Brushing is a modern method of stressing the natural beauty of the wood graining and bringing out its structure. The texture of brushed wood is discernible to the touch.*



Staining

*Flooring is coloured by coating the surface with lacquer, oil or refined stain with a protective layer of lacquer.*

着色处理

由清漆，天然植物油涂刷过的地板表面涂层，最后附上一层精选的用于着色的漆面/油面抗污防护层。

**CHEVRON 130**

5906737985403

**OAK****MAINLAND  
CHEVRON 130**

smoked brown, brushed, 4 side micro bevelled matt lacquered

烟熏棕，刷面，4面微斜切，哑光漆面

725 x 130 x 14 mm





5906737989197

**OAK****BRIGHT  
CHEVRON 130**

brushed, natural oil, 4 side micro bevelled

刷面，4面微斜切，天然植物油面

725 x 130 x 14 mm



## CHEVRON 130



5906737985410

**OAK****TRIVOR****CHEVRON 130**

cream, brushed, 4 side micro bevelled, matt lacquered

刷面，4面微斜切，哑光漆面

725 x 130 x 14 mm



5906737985786



**OAK****BALOS****CLASSIC HERRINGBONE 130**

white light, brushed, matt lacquered, 4 side micro bevelled

刷面，4面微斜切，哑光漆面

CLASSIC  
HERRINGBONE 130

725 x 130 x 14 mm



CLASSIC  
**HERRINGBONE 110**



5906737983423

OAK

**MAINLAND**

**CLASSIC HERRINGBONE 110**

warm brown, brushed, 4 side micro bevelled, matt lacquered

刷面， 4面微斜切，哑光漆面

660 x 110 x 14 mm



5906737985540

OAK


**CARAMEL**

**CLASSIC HERRINGBONE 110**

brushed, 4 side micro bevelled, matt lacquered

刷面， 4面微斜切，哑光漆面

660 x 110 x 14 mm



CLASSIC  
**HERRINGBONE 130**

5906737985618

**ASH****AURIC****CLASSIC HERRINGBONE 130**

matt lacquered, 4 side micro bevelled

哑光漆面, 4面微斜切

725 x 130 x 14 mm



5906737985601


**ASH****MOONLIGHT****CLASSIC HERRINGBONE 130**

ash, matt lacquered, 4 side micro bevelled

哑光漆面, 4面微斜切

CLASSIC  
**HERRINGBONE 130**

725 x 130 x 14 mm



DARK  
FLOORS  
深色地板


5906737954171

**OAK****MARSALA****GRANDE**

smoked oak, brushed, matt lacquered, 4 side bevelled

刷面, 哑光漆面, 四面V槽

2200 x 180 x 14 mm




5906737960592

**OAK****AFFOGATO****MOLTI**

3-strip, brown, brushed, matt lacquered

三拼独幅, 刷面, 哑光漆面





DARK  
FLOORS  
深色地板

5906737961063

**ASH**


**COFFEE**

**MOLTI**

3-strip, brushed, semi-matt lacquered

三拼独幅，刷面，半哑光漆面

2200 x 207 x 14 mm



5906737955666

**OAK**


**BROWN SUGAR**

**PICCOLO**

antique brown, brushed, matt lacquered, 4 side micro bevelled

刷面，哑光漆面，4面微斜切

2200 x 130 x 14 mm





DARK  
FLOORS  
深色地板

5906737970874  
**OAK**

**NUGAT**  
**PICCOLO**

dark brown colour, 4 side micro bevelled, matt lacquered  
4面微斜切，哑光漆面

2200 x 130 x 14 mm



DARK  
FLOORS  
深色地板

5906737960622  
**OAK**

**HONEY**  
**MOLTI**

cognac, brushed, matt lacquered  
刷面，哑光漆面

2200 x 207 x 14 mm





NATURAL  
FLOORS  
天然地板



NATURAL  
FLOORS  
天然地板

5906737962190

OAK

**ASKANIA**

**GRANDE**

professional lacquer

高耐磨专业漆面

2200 x 180 x 14 mm



5906737957301

OAK

**ASKANIA**

**MOLTI**

3 strip, professional lacquer

三拼独幅, 高耐磨专业漆面

2200 x 207 x 14 mm





# NATURAL FLOORS 天然地板



# NATURAL FLOORS 天然地板

5906737956946

**OAK**

**CARAMEL GRANDE**

brushed, 4 side bevelled, matt lacquered

刷面，四面V槽，哑光漆面



2200 x 180 x 14 mm



5906737986189

**OAK**

**BRIGHT GRANDE**

brushed, natural oil, 4 side micro bevelled

刷面，天然植物油面，4面微斜切



2200 x 180 x 14 mm





5906737964477

**OAK****SUNNY****MOLTI**

3 strip, natural oil

三拼独幅，天然植物油面

2200 x 207 x 14 mm



5906737986349



**OAK****BRIGHT****PICCOLO**

brushed, natural oil, 4 side bevelled

刷面，天然植物油面，四面V槽

**NATURAL  
FLOORS**  
天然地板

2200 x 130 x 14 mm





5906737961070

**ASH****SAIMAA****MOLTI**

3 strip, professional lacquer

三拼独幅，高耐磨专业漆面



2200 x 207 x 14 mm



5906737973745

**OAK****MERSEY****MEDIO**

raw wood effect, brushed, 4 side micro beveled, natural oil

原木效果，刷面天，4面微斜切，然植物油面

NATURAL  
FLOORS  
天然地板



2200 x 155 x 14 mm





5906737957004

OAK

**WHITE TRUFFLE**

**GRANDE**

whitewashed, matt lacquered

哑光漆面



2200 x 180 x 14 mm



5906737984482

ASH

**LIMONE**

**GRANDE**

white, matt lacquered

白色, 哑光漆面



2200 x 180 x 14 mm





# LIGHT FLOORS

## 浅色地板



# LIGHT FLOORS

## 浅色地板

5906737957080

**ASH**

**MILKSHAKE**

**GRANDE**

white colour, matt lacquered

白色，哑光漆面



2200 x 180 x 14 mm



5906737980200

**OAK**

**BIANCO**

**GRANDE**

white, 2 side micro bevelled, matt lacquered

白色，2面微斜切，哑光漆面



2200 x 180 x 14 mm





LIGHT  
FLOORS  
浅色地板



LIGHT  
FLOORS  
浅色地板

5906737962268  
**OAK**

**GRISINI  
GRANDE**

double stained, beige, white brushed, 4 side micro bevelled, matt lacquered  
复染色-白色+奶油色, 刷面, 4面微斜切, 哑光漆面

2200 x 180 x 14 mm




5906737980798  
**OAK**

**DARTMOOR  
GRANDE**

white, brushed, 4 side micro bevelled, natural oil  
白色, 刷面, 4面微斜切, 天然植物油面

2200 x 180 x 14 mm



LIGHT  
FLOORS  
浅色地板

5906737954393

**OAK****NUDE  
GRANDE**

brushed, matt lacquered, 2 side bevelled

刷面, 哑光漆面, 2面V槽

2200 x 180 x 14 mm



5906737953921

**OAK****MARZIPAN MUFFIN  
GRANDE**

grey-beige, brushed, 4 side bevelled, matt lacquered

灰色-奶油色, 刷面, 4面V槽, 哑光漆面

2200 x 180 x 14 mm





5906737960691

OAK

**MARZIPAN MUFFIN**

**MOLTI**

3 strip, brushed, matt lacquered


灰色-奶油色，三拼独幅，刷面，哑光漆面



# LIGHT FLOORS 浅色地板

# BARLINEK WOOD BOARD DIMENSIONS 宝林纳三层实木地板尺寸

**NEW!**  
新品！



### GRANDE 180

Single plank boards of 180mm width and 2200mm height.

单拼独幅  
2200x180x14 mm  
PURE line

### MEDIO 155

Single plank boards of 155mm width and 2200mm height.

单拼独幅  
2200x155x14 mm  
PURE line

### PICCOLO 130

Single plank boards of 130mm width come in three heights: 2200mm, 1092 mm and 725 mm.

单拼独幅  
2200/1092/725x130x14 mm  
PURE line

### MOLTI 207

3-strip boards of 207mm width and 2200mm height.

三拼独幅  
2200x207x14mm  
PURE line



# SKIRTING BOARDS 踢脚线

## naturally oiled wood floors 天然植物油面地板

### Everyday care / 日常/每日护理



#### WASH CARE

Concentrate for everyday cleaning of naturally oiled wood floors. Refreshes the surface and prevents it getting dirty again. It has anti-slip properties.

#### 清洁液

主要用于天然植物油面地板每日/日常护理，让油面地板表层重焕光彩，形成防滑层及防尘层。

Yield approx. 500m<sup>2</sup>/1L.  
适用面积: 大约500m<sup>2</sup>/升  
PRT004003

### First and recurring care / 首次及定期护理剂



#### WAX CARE PLUS

Preparation in undiluted form. Agent for first and periodic care of wood floors finished with natural oil. Regular maintenance with Wax Care Plus protects, regenerates and refreshes the surface. Displays hydrophobic properties.

#### 升级护理蜡（油面地板）

未稀释的制剂；天然油面地板首次及定期保养剂。本产品不仅能定期保养地板，还能在地板表面形成蜡层让地板表面焕然一新。产品具有疏水性—难溶于水。

Yield approx. 100-110m<sup>2</sup>/1L.  
适用面积: 大约100-110m<sup>2</sup>/升  
PRT004005

### Thorough cleaning / 全方位强效清洁剂



#### MAGIC CLEANER

Concentrate for very dirty and greasy wood floors coated with a natural oil, and for floors before renovation. Removes grease and dirt. The product does not contain bleach. Biodegradable.

#### 魔力清洁剂（油面木制地板）

本产品能有效清洁非常脏、非常油腻的油面木制地板，也可在地板翻修之前使用。强效祛油除污，不含漂白剂，可生物降解。

Yield approx. ca. 100m<sup>2</sup>/1L.  
适用面积: 大约100m<sup>2</sup>/升。  
PRT004004

## lacquered floors 漆面地板

### Everyday care / 日常/每日护理



#### PROTECTOR CONCENTRATE

Concentrate for everyday care of lacquered floors. Contains no wax which facilitates the subsequent renovation of the floor. Does not leave stains or streaks. Forms a resistant, antistatic, non-slip film on the floor surface. It can also be used on stone and ceramic floors.

#### 精选护理剂

漆面地板日常护理，不含蜡，不会在地板表面留下污迹或条纹，方便日后翻新。在地板表面形成耐磨层、防静电层和防滑层。不仅适用于漆面地板，还适用于石料及陶瓷地板。

Yield approx. 500m<sup>2</sup>/1L.  
适用面积: 大约500m<sup>2</sup>/升  
PRT001002

## Necessary finish


- made of 100% wood, covered with veneer on the exterior
- available in many shapes and colours
- excellent dimensions stability
- durability thanks to the use of high quality wood
- durable merging of the veneer with the wooden skirting core
- factory-made protection of surface

### 踢脚线表层处理:

1. 100%实木制成，薄木贴面
2. 外形多样，颜色丰富
3. 结构非常稳定
4. 优质木材制成，持久耐用
5. 实木芯材，超耐用的贴面
6. 工厂生产的防护表层，原厂品质



### Remember the clip!

注意卡扣的正确使用



### P50 Skirting

P50踢脚线





5906737985403

725 x 130 x 14 mm

**OAK****MAINLAND  
CHEVRON 130**

smoked brown, brushed, 4 side micro bevelled matt lacquered

烟熏棕, 刷面, 4面微斜切, 哑光漆面




5906737989197

725 x 130 x 14 mm

**OAK****BRIGHT  
CHEVRON 130**

brushed, natural oil, 4 side micro bevelled

刷面, 4面微斜切, 天然植物油面




5906737985410

725 x 130 x 14 mm

**OAK****TRIVOR  
CHEVRON 130**

cream, brushed, 4 side micro bevelled, matt lacquered

刷面, 4面微斜切, 哑光漆面



5906737985786

725 x 130 x 14 mm

**OAK****BALOS  
CLASSIC HERRINGBONE 130**

white light, brushed, 4 side micro bevelled, matt lacquered,

刷面, 4面微斜切, 哑光漆面



5906737983423

660 x 110 x 14 mm

**OAK****MAINLAND  
CLASSIC HERRINGBONE 110**

warm brown, brushed, 4 side micro bevelled, matt lacquered

刷面, 4面微斜切, 哑光漆面

5906737985540

660 x 110 x 14 mm

**OAK****CARAMEL  
CLASSIC HERRINGBONE 110**

brushed, 4 side micro bevelled, matt lacquered

刷面, 4面微斜切, 哑光漆面



5906737985618

725 x 130 x 14 mm

**ASH****AURIC  
CLASSIC HERRINGBONE 130**

matt lacquered, 4 side micro bevelled

哑光漆面, 4面微斜切




5906737985601

725 x 130 x 14 mm

**ASH****MOONLIGHT  
CLASSIC HERRINGBONE 130**

creamy ash, matt lacquered, 4 side micro bevelled

哑光漆面, 4面微斜切



5906737954171

2200 x 180 x 14 mm

**OAK****MARSALA  
GRANDE**

smoked oak, brushed, matt lacquered, 4 side bevelled

刷面, 哑光漆面, 四面V槽



5906737960592

2200 x 207 x 14 mm

**OAK****AFFOGATO  
MOLTI**

3-strip, brown, brushed, matt lacquered

三拼独幅, 刷面, 哑光漆面






5906737961063

2200 x 207 x 14 mm

**ASH  
COFFEE  
MOLTI**

3-strip, brushed, semi-matt lacquered  
三拼独幅，刷面，半哑光漆面



5906737955666

2200 x 130 x 14 mm

**OAK  
BROWN SUGAR  
PICCOLO**

antique brown, brushed, matt lacquered,  
4 side micro bevelled  
刷面，哑光漆面，4面微斜切



5906737970874

2200 x 130 x 14 mm

**OAK  
NUGAT  
PICCOLO**

dark brown colour, 4 side micro bevelled,  
matt lacquered  
4面微斜切，哑光漆面



5906737960622

2200 x 207 x 14 mm

**OAK  
HONEY  
MOLTI**

cognac, brushed, matt lacquered  
刷面，哑光漆面



5906737962190

2200 x 180 x 14 mm

**OAK  
ASKANIA  
GRANDE**

professional lacquer  
高耐磨专业漆面



5906737957301

2200 x 207 x 14 mm

**OAK  
ASKANIA  
MOLTI**

3 strip, professional lacquer  
三拼独幅，高耐磨专业漆面



5906737956946

2200 x 180 x 14 mm

**OAK  
CARAMEL  
GRANDE**

brushed, 4 side bevelled,  
matt lacquered  
刷面，四面V槽，哑光漆面，



5906737986189

2200 x 180 x 14 mm

**OAK  
BRIGHT  
GRANDE**

brushed, natural oil, 4 side micro bevelled  
刷面，天然植物油面，4面微斜切



5906737964477

2200 x 207 x 14 mm

**OAK  
SUNNY  
MOLTI**

3 strip, natural oil  
三拼独幅，天然植物油面



5906737986349

2200 x 130 x 14 mm

**OAK  
BRIGHT  
PICCOLO**

brushed, natural oil, 4 side bevelled  
刷面，天然植物油面，四面V槽





5906737961070

2200 x 207 x 14 mm

**ASH****SAIMAA  
MOLTI**

3 strip, professional lacquer

三拼独幅，高耐磨专业漆面



5906737973745

2200 x 155 x 14 mm

**OAK****MERSEY  
MEDIO**raw wood effect, brushed,  
4 side micro beveled, natural oil

原木效果，刷面天，4面微斜切，然植物油面



5906737957004

2200 x 180 x 14 mm

**OAK****WHITE TRUFFLE  
GRANDE**

whitewashed, matt lacquered

哑光漆面



5906737984482

2200 x 180 x 14 mm

**ASH****LIMONE  
GRANDE**

white, matt lacquered

白色，哑光漆面



5906737957080

2200 x 180 x 14 mm

**ASH****MILKSHAKE  
GRANDE**

white colour, matt lacquered

白色，哑光漆面



5906737980200

2200 x 180 x 14 mm


**OAK****BIANCO  
GRANDE**white, 2 side micro bevelled,  
matt lacquered

白色，2面微斜切，哑光漆面



5906737962268

2200 x 180 x 14 mm

**OAK****GRISINI  
GRANDE**double stained, beige, white brushed,  
4 side micro bevelled, matt lacquered  
复染色-白色+奶油色，刷面，4面微斜切，  
哑光漆面

5906737980798

2200 x 180 x 14 mm

**OAK****DARTMOOR  
GRANDE**white, brushed, 4 side micro bevelled,  
natural oil

白色，刷面，4面微斜切，天然植物油面



5906737954393

2200 x 180 x 14 mm


**OAK****NUDE  
GRANDE**brushed, matt lacquered, 2 side bevelled  
刷面，哑光漆面，2面V槽

5906737953921

2200 x 180 x 14 mm

**OAK****MARZIPAN MUFFIN  
GRANDE**grey-beige, brushed, 4 side bevelled, matt  
lacquered

灰色-奶油色，刷面，4面V槽，哑光漆面






5906737960691

2200 x 207 x 14 mm

**OAK****MARZIPAN MUFFIN****MOLTI**grey-beige, 3 strip, brushed,  
matt lacquered

灰色-奶油色，三拼独幅，刷面，哑光漆面



5906737962282

2200 x 180 x 14 mm

**OAK****CARDAMOMO****GRANDE**double stained, grey, white brushed,  
matt lacquered, 4 side micro bevelled

复染色-白色-灰色，

刷面，哑光漆面，4面微斜切



5906737978795

1092 x 130 x 14 mm

**OAK****PEACH****PICCOLO**

brushed, matt lacquered

刷面，哑光漆面



FIND INSPIRATION AT  
寻找更多内部装修的灵感，  
请访问宝林纳官网  
**BARLINEK.COM** **BARLINEK.CN**



For one pack  
we plant one tree



We are saving  
the peregrine falcon



Bartek the Oak  
in our care

一对一活动  
每卖出一包实木地板，  
便在宝林纳经济速生林里  
种植一棵树。

救助游隼和猎鹰，  
我们在行动

保护鲍尔泰克橡木